

AMENDED

ASSIGNED
No. 30097

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office. MAR 19 1976

Returned to applicant for correction. DATE

Corrected application filed. APR 7 1976

Map filed. APR 7 1976

The applicant Charles E. Stevenson

P. O. Box 2818, of Reno,
Street and No. or P.O. Box No. City or Town

Nevada 89504, hereby make s. application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is underground
Name of stream, lake or other source.

2. The amount of water applied for is 0.5 second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet. acre-feet

3. The water to be used for Quasi-Municipal purposes
Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated)

(b) Stockwater (state number and kinds of animals to be watered)

(c) Other use (describe fully under "No. 12. Remarks")

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point: SE 1/4 NE 1/4 Section 23, T.17N.,

R.19E., MDB&M or at a point from which the NE corner of said Section
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,

23 bears N 33° 01' E, a distance of 2,459 feet.
it should be stated.

6. Place of use Portions of the S 1/4 NE 1/4 and the NE 1/4 SE 1/4 of Section 23,
Describe by legal subdivision, if on unsurveyed land it should be so stated.

T.17N., R.19E., MDB&M, as shown on the supporting map.

7. Use will begin about January 1 and end about December 31, of each year.
Day and Month Day and Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) 12" well, pump, motor and distribution system

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

9. Estimated cost of works.....\$8,000
10. Estimated time required to construct works.....3 years
11. Estimated time required to complete the application to beneficial use.....5 years
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Proposed use will include

1 Large Restaurant (7,000 sq. ft)	7,000 GPD
1 Large Bar	500 GPD
4 Unit Apartment Building	1,000 GPD
1 Storage Warehouse	250 GPD
4 Houses on 1/2 Acre Lots @ 1,800 GPD	7,200 GPD
For a total of	15,950 GPD

Applicant.....Charles E. Stevenson

By S/ Bruce R. Scott
B.R. Scott, Vasey-Scott Engr. Inc.
2989 Highway 50 East
Carson City, NV 89701

Compared.....sk:bs lk/sk

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to all existing rights on the source. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level at permittee's well due to other ground water development in the area. A measuring device must be installed and measurements of water use kept. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. The State retains the right to regulate the use of the water granted herein at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.5 cubic feet per second but not to exceed 2.41 million gallons annually.

Actual construction work shall begin on or before.....March 3, 1977

Proof of commencement of work shall be filed before.....April 3, 1977

Work must be prosecuted with reasonable diligence and be completed on or before.....March 3, 1978

Proof of completion of work shall be filed before.....April 3, 1978

Application of water to beneficial use shall be made on or before.....March 3, 1981

Proof of the application of water to beneficial use shall be filed on or before.....April 3, 1981

Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed.....MAR 7 1977
Completion of work filed.....JUN 24 1977
Proof of beneficial use filed.....APR 17 1985
Cultural map filed.....
Certificate No. 11167 Issued MAY 7 1985
Recorded.....Bk. 38 Page.....

IN TESTIMONY WHEREOF, I ROLAND D. WESTERGARD
State Engineer of Nevada, have hereunto set my hand and the seal of
my office, this 3rd day of September

A.D. 19 76

Roland D. Westergard
State Engineer